

BIACTIVE FOR COMBO-E LIFE L2, E-RIFTER L2, Ë-BERLINGO L2, PROACE CITY ELECTRIC L2





Heavy duty quality

In and out, all day long? In that case, quality is essential. The wheelchair ramp has been endurance tested with 400 kg load 30,000 times and the latching mechanism a staggering 90,000 times. This is one of the reasons the eK9 L2 is perfectly suited to professional use.



Seating configuration

No changes are made to the front passenger seats. For the second row, you can choose one or two separate seats or none at all. A pair of tip-and-turn seats can be added in the third row as an option, bringing the total number of passengers to six or, alternatively, four seated and one wheelchair passenger.



B-Active Pop-up ramp

The extreme light taxi ramp will Pop-up from the fold flat position. This will allow you to tilt the ramp without force. This way everyone can use and lift the ramp.

The Pop-up ramp can be folded inwards, so it can lie horizontally to provide extra luggage space.



No concessions

The first fully electric wheelchair accessible vehicle in the small MPV segment. Suitable for private and commercial use as no changes are made to the battery pack.



Personalization options

For the interior, you can opt for high quality, wear-resistant vinyl on the floor. The sides can be fitted with stainless steel finishing profiles, and an integrated LED strip is available that automatically lights up.




Suitable for 4 brands.

With the B-Active for the electric K9, an Opel Combo-e Life L2, Peugeot e-Rifter L2, Citroën Ë-Berlingo L2 or Toyota Proace City Electric L2 can be converted into a wheelchair accessible vehicle.




B|ACTIVE FOR COMBO-E LIFE L2, E-RIFTER L2, Ë-BERLINGO L2, PROACE CITY ELECTRIC L2





| Nr. | Description | Sizes (+/- cm) |
|-----|---|------------------------|
| 01 | Slope of ramp | 11 ⁰ |
| 03 | Interior height (headroom) wheelchair passenger | 141,5 |
| 04 | Entry height | 136,5 |
| 05 | Lenght wheelchair ramp | 150 |
| 08 | Width lowered floor, steel – steel | 82 |
| 00 | Space between seats in 2nd row | 59 |
| 11 | Width wheelchair ramp | 78 |
| | | |
| | | |
| | | |
| | | |
| | | |



Configuration options

The B-Style WAV kit provides lots of interior space for all passengers.
There are many configurations to choose from.




B|ACTIVE FOR COMBO-E LIFE L2, E-RIFTER L2, Ë-BERLINGO L2, PROACE CITY ELECTRIC L2



+31 (0)88 8 638 200 support@b-style.eu

B-Style



















STANDARDS COMMITTEE MEMBER



